



FIXTURE



LAMP TYPE



MOUNTING

A Fixture

Rhea-08 RHEA - 8" GLOBE AND PENDANT	Rhea-08-135deg RHEA - 8" GLOBE AND 135DEG TILTED SPINNING	Rhea-08-180deg RHEA - 8" GLOBE AND INVERTED SPINNING	Rhea-08-45deg RHEA - 8" GLOBE AND 45DEG TILTED SPINNING	Rhea-08-90deg RHEA - 8" GLOBE AND 90DEG TILTED SPINNING
Rhea-10 RHEA - 10" GLOBE AND SPINNING	Rhea-10-135deg RHEA - 10" GLOBE AND 135DEG TILTED SPINNING	Rhea-10-180deg RHEA - 10" GLOBE AND INVERTED SPINNING	Rhea-10-45deg RHEA - 10" GLOBE AND 45DEG TILTED SPINNING	Rhea-10-90deg RHEA - 10" GLOBE AND 90DEG TILTED SPINNING
Rhea-12 RHEA - 12" GLOBE AND SPINNING	Rhea-12-135deg RHEA - 12" GLOBE AND 135DEG TILTED SPINNING	Rhea-12-180deg RHEA - 12" GLOBE AND INVERTED SPINNING	Rhea-12-45deg RHEA - 12" GLOBE AND 45DEG TILTED SPINNING	Rhea-12-90deg RHEA - 12" GLOBE AND 90DEG TILTED SPINNING
Rhea-16 RHEA - 16" GLOBE AND SPINNING	Rhea-16-135deg RHEA - 16" GLOBE AND 135DEG TILTED SPINNING	Rhea-16-180deg RHEA - 16" GLOBE AND INVERTED SPINNING	Rhea-16-45deg RHEA - 16" GLOBE AND 45DEG TILTED SPINNING	Rhea-16-90deg RHEA - 16" GLOBE AND 90DEG TILTED SPINNING
Rhea-20 RHEA - 20" GLOBE AND SPINNING	Rhea-20-135deg RHEA - 20" GLOBE AND TILTED SPINNING	Rhea-20-180deg RHEA - 20" GLOBE AND INVERTED SPINNING	Rhea-20-45deg RHEA - 20" GLOBE AND TILTED SPINNING	Rhea-20-90deg RHEA - 20" GLOBE AND TILTED SPINNING

B Lamp Type

	SOCKETS FOR DECORATIVE				
	MED MEDIUM BASE SOCKET, E26	GU24 GU24 SOCKET			


	LVEV1 - INDOOR/OUTDOOR				
	LVEV1-1700-XXK LVEV - 1700LMM, 14W	LVEV1-2000-XXK LVEV - 2000LM, 16W	LVEV1-2500-XXK LVEV - 2500LM, 21W	LVEV1-3000-XXK LVEV - 3000LM, 26W	LVEV1-1700-XXK-EM LVEV - 1700LMM, 14W, EMERGENCY BACKUP
	LVEV1-2000-XXK-EM LVEV - 2000LM, 16W, EMERGENCY BACKUP	LVEV1-2500-XXK-EM LVEV - 2500LM, 21W, EMERGENCY BACKUP	LVEV1-3000-XXK-EM LVEV - 3000LM, 26W, EMERGENCY BACKUP		

	LVGV1 - INDOOR				
	LVGV1-1250-XXK LVGV1 - 1250LM, 10W	LVGV1-1500-XXK LVGV1 - 1500LM, 12W	LVGV1-1700-XXK LVGV1 - 1700LM, 14W	LVGV1-2000-XXK LVGV1 - 2000LM, 17W	LVGV1-1250-XXK-EM LVGV1 - 1250LM - EM, 10W
	LVGV1-1500-XXK-EM LVGV1-1500LM - EM, 12W	LVGV1-1700-XXK-EM LVGV1 - 1700LM - EM, 14W	LVGV1-2000-XXK-EM LVGV1-2000LM - EM, 17W		


ADJUSTABLE LED LUMENS & KELVIN MODULE - OUTDOOR/INDOOR					
					
LAC02 LAC02 - (1500, 1850, OR 2400LM), 23W	LAH01 LAH01 - (3000, 4000, OR 5000LM), 43W	LAC03 LAC03 - (1650, 2050, OR 2750LM), 23W	LAH02 LAH02 - (3300, 4100, OR 5250LM), 43W		

C Mounting


CUSTOM GOOSENECKS - TOP MOUNTED




GNX-1004
CUSTOM GOOSENECK
GNX-1004




GNX-1067-36-12
TWIN PENDANT MOUNT
GNX-1067, A=36IN, B=12IN




GNX-1068-36
CUSTOM GOOSENECK:
GNX-1068-36




GNX-1068-48
CUSTOM GOOSENECK:
GNX-1068-48




GNX-1067-36-18
GNX-1067-36-18




GNX-1083
GNX-1083




GNX-1084
GOOSENECK - GNX-1084 -
13IN




GNX-1088
CUSTOM GOOSENECK
STYLE GNX-1088



GNX-1008
CUSTOM GNX-1008




GNX-1010
CUSTOM GOOSENECK
GNX-1010



GNX-1011
CUSTOM GOOSENECK -
GNX-1011




WB-GN1-MODR6
WB-GN1 FOR 6IN ROUND
WOODEN POLE




GN10U
GOOSENECK - STYLE U -
10IN




GNX-1098-36
CUSTOM GOOSENECK
STYLE GNX-1098-36 WITH
CHAIN




GN15H
15IN STYLE H - GOOSENECK




WB-SC1-4R
WB-SC1 WITH 4IN RADIUS
ARM



GNX-1101-8-6
GNX-1101-8-6




GNX-1101-8-12
GNX-1101-8-12



GNX-1102B
GNX-1102B




GNX-1102
GNX-1102




GNX-1107
CUSTOM WB GOOSENECK



GNX-1109-GN17A-24IN
GNX-1109 WITH GN17A -
ST3-24



GNX-1110
CUSTOM GNX-1110



GN23A15
GN23A + 15 DEGREES

GNX-1004



GNX-1004
CUSTOM GOOSENECK GNX-1004

WALL BRACKETS



WB-SC1
WALL DIE CAST BRACKET 1




WB-SC1-LS
WALL DIE CAST BRACKET 1 - LESS
SCROLL



WB-SC2
WALL DIE CAST BRACKET 2



WB-SC2-LS
WALL DIE CAST BRACKET 2 - LESS
SCROLL



WB-GN1
WALL GOOSENECK BRACKET 1



WB-GN1-MODR6
WB-GN1 FOR 6IN ROUND WOODEN
POLE



BCC6S

BCC6S-1/2
6IN - BALLASTED CANOPY
FOR STEMS, HID & CFL
1/2

BCC6S-3/4
6IN - BALLASTED CANOPY
FOR STEMS, HID & CFL
3/4

WBGBX



WBGBX
WBGBX BALLAST BOX



BCC6C

BCC6C-10FT

6IN - BALLASTED CANOPY
FOR CORD, CFL &
LED-10FT

BCC6C-20FT

6IN - BALLASTED CANOPY
FOR CORD, CFL &
LED-20FT

BCC6C1A-10FT

BCC STYLE DRIVER ENCLOSURE WITH 1 AIR-CRAFT CABLE & 10FT CORD.

BCC6C1A-20FT

BCC STYLE DRIVER ENCLOSURE WITH 1 AIR-CRAFT CABLE & 20FT CORD.



BCC6A

BCC6A-1/2

6IN - BALLASTED CANOPY
FOR ALIGNERS, CFL, LED,
1/2

BCC6A-3/4

6IN - BALLASTED CANOPY
FOR ALIGNERS, CFL, LED,
3/4

CORD MOUNTING



643-10FT

CORD CANOPY, 10FT. (DISCONTINUED, USE 630 CANOPY)



643-20FT

CORD CANOPY, 20FT. (DISCONTINUED, USE 630 CANOPY)



643HD-10FT

HEAVY DUTY CORD CANOPY,
10FT. (DISCONTINUED, USE 630
CANOPY)



643HD-20FT

HEAVY DUTY CORD CANOPY,
20FT. (DISCONTINUED, USE 630
CANOPY)




649-10FT-WH

BASIC ECONOMICAL WHITE CORD
& CANOPY SETUP, 10FT




649-10FT-BK

BASIC ECONOMICAL BLACK CORD
& CANOPY SETUP, 10FT



GN16K
GN16K



GN18K
GN18K



GN30C-SC1
30" STYLE C GOOSENECK
WITH SCROLL



STEM MOUNTING

640-75 CANOPY KIT FOR 3/4" RIGID STEM	640-50 CANOPY KIT FOR 1/2" RIGID STEM	642-75 ALIGNER CANOPY KIT FOR 3/4" SWIVEL STEM	642-50 ALIGNER CANOPY KIT FOR 1/2" SWIVEL STEM	ST3-3 3" STEM 3/4"
ST3-6 6" STEM 3/4"	ST3-12 12" STEM 3/4"	ST3-18 18" STEM 3/4"	ST3-24 24" STEM 3/4"	ST3-36 36" STEM 3/4"
ST3-48 48" STEM 3/4"	ST3-60 60" STEM 3/4"	ST3-72 72" STEM 3/4"	ST3-96 96" STEM 3/4"	ST2-3 3" STEM 1/2"
ST2-6 6" STEM 1/2"	ST2-12 12" STEM 1/2"	ST2-18 18" STEM 1/2"	ST2-24 24" STEM 1/2"	ST2-36 36" STEM 1/2"
ST3-42 42" STEM 3/4"	ST2-48 48" STEM 1/2"	ST2-60 60" STEM 1/2"	ST2-72 72" STEM 1/2"	ST2-96 96" STEM 1/2"

SURFACE MOUNTING FOR HEX NUT



OC
OUTLET COVER FOR HEX NUT



DCMH
DIRECT CANOPY MOUNT WITH HEX

POLE TOP



PT-1
POLE TOP 1



PT-SC1-LS
POLE TOP CASTING 1 - LESS SCROLL



PT-2
POLE TOP 2



PT-SC2-LS
PT-SC2-LS



PT-SC1
POLE TOP CASTING 1




PT-SC2
POLE TOP CASTING 2




PT-GN1
POLE TOP GOOSENECK 1



PT-GN2
POLE TOP GOOSENECK 2



PT-CC1
POLE TOP CC1




PT-SHC1
POLE TOP SHC1

CATENARY




CTNRY-1
CATENARY MOUNTING

BCW STYLE



BCW6
6IN - SC GOOSENECK BALLAST BOX




BCW8
8IN - SC GOOSENECK BALLAST BOX


STRUCTURES




GNX-1067-36-12
TWIN PENDANT MOUNT GNX-1067,
A=36IN, B=12IN



GNX-1116-6-2
GNX-1116 STYLE, 6IN ARM, 2IN
DOWN



GNX-1116-8-2
GNX-1116 STYLE, 8IN ARM, 2IN
DOWN



GNX-1116-10-2
GNX-1116 STYLE, 10IN ARM, 2IN
DOWN



GNX-1116-12-2
GNX-1116 STYLE, 12IN ARM, 2IN
DOWN



GNX-1116-14-2
GNX-1116 STYLE, 14IN ARM, 2IN
DOWN



GNX-1116-16-2
GNX-1116 STYLE, 16IN ARM, 2IN
DOWN



GNX-1116-18-2
GNX-1116 STYLE, 18IN ARM, 2IN
DOWN




GNX-1116-20-2
GNX-1116 STYLE, 20IN ARM, 2IN
DOWN




GNX-1116-24-2
GNX-1116 STYLE, 24IN ARM, 2IN
DOWN

GNX-1068



GNX-1068-36
CUSTOM GOOSENECK:
GNX-1068-36



GNX-1068-48
CUSTOM GOOSENECK:
GNX-1068-48

GNX-1069



GNX-1069-2-2
VP DOUBLE WALL MOUNT



GNX-1069-2-6
VP DOUBLE WALL MOUNT



GNX-1069-12-12
VP DOUBLE WALL MOUNT



GNX-1069-2-12
VP DOUBLE WALL MOUNT



GNX-1069-12-6
VP DOUBLE WALL MOUNT



GNX-1069-12-2
VP DOUBLE WALL MOUNT



GNX-1069-6-2
VP DOUBLE WALL MOUNT



GNX-1069-6-6
VP DOUBLE WALL MOUNT



GNX-1069-6-12
VP DOUBLE WALL MOUNT

REMOTE BALLAST ENCLOSURE



R070
WEATHER TIGHT REMOTE INDOOR /
OUTDOOR ENCLOSURE 70W MAX-
IMUM




BDC - SMALL CEILING DRIVER ENCLOSURE

BDC6C-10FT BDC STYLE DRIVER EN- CLOSURE WITH 10FT CORD	BDC6C-20FT BDC STYLE DRIVER EN- CLOSURE WITH 20FT CORD	BDC6S-75 BDC STYLE DRIVER EN- CLOSURE FOR 3/4-NPT STEM	BDC6S-50 BDC STYLE DRIVER EN- CLOSURE FOR 1/2-NPT STEM	BDC6A-75 BDC STYLE DRIVER EN- CLOSURE FOR 3/4-NPT STEM WITH ALIGNER
BDC6A-50 BDC STYLE DRIVER EN- CLOSURE FOR 1/2-NPT STEM WITH ALIGNER	BDC6C1A-10FT BDC STYLE DRIVER EN- CLOSURE WITH 1 AIR- CRAFT CABLE & 10FT CORD.	BDC6C1A-20FT BDC STYLE DRIVER EN- CLOSURE WITH 1 AIR- CRAFT CABLE & 20FT CORD.		

GNX-1072



GNX-1072-2-1.5
DOUBLE INLINE MOUNT




GNX-1072-2-6
DOUBLE INLINE MOUNT



GNX-1072-2-12
DOUBLE INLINE MOUNT



GNX-1072-6-1.5
DOUBLE INLINE MOUNT



GNX-1072-6-6
DOUBLE INLINE MOUNT



GNX-1072-6-12
DOUBLE INLINE MOUNT



GNX-1072-12-12
DOUBLE INLINE MOUNT



GNX-1072-3-2V
DOUBLE INLINE MOUNT

GNX-1147



GNX-1147-GN41P
GOOSENECK BACK MOUNTED -
GN41P

GNX-1114



GNX-1114-4R
GNX-1114-4R



GNX-1114-7R
GNX-1114-7R



GNX-1114-9R
GNX-1114-9R



GNX-1114-14.5R
GNX-1114-14.5R

GNX-1115



GNX-1115-R7
GNX-1115-R7




GNX-1115-R9
GNX-1115-R9


GNX-1117




GNX-1117-2X-12
GNX-1117-2X-12




GNX-1117-2X-18
GNX-1117-2X-18



GNX-1117-2X-24
GNX-1117-2X-24



GNX-1117-2X-30
GNX-1117-2X-30




GNX-1117-2X-36
GNX-1117-2X-36




GNX-1117-3X-12
GNX-1117-3X-12




GNX-1117-3X-18
GNX-1117-3X-18



GNX-1117-3X-24
GNX-1117-3X-24




GNX-1117-3X-30
GNX-1117-3X-30




GNX-1117-3X-36
GNX-1117-3X-36




GNX-1117-4X-12
GNX-1117-4X-12




GNX-1117-4X-18
GNX-1117-4X-18



GNX-1117-4X-24
GNX-1117-4X-24



GNX-1117-5X-12
GNX-1117-5X-12




GNX-1117-5X-18
GNX-1117-5X-18

GNX-1119




GNX-1119-24in-3
GNX-1119-24IN-3




GNX-1119-24in-5
GNX-1119-24IN-5




GNX-1119-32in-7
GNX-1119-32IN-7




GNX-1119-36in-3
GNX-1119-36IN-3




GNX-1119-36in-4
GNX-1119-36IN-4




GNX-1119-36in-5
GNX-1119-36IN-5




GNX-1119-36in-6
GNX-1119-36IN-6




GNX-1119-36in-7
GNX-1119-36IN-7




GNX-1119-42in-3
GNX-1119-42IN-3




GNX-1119-42in-4
GNX-1119-42IN-4



GNX-1119-42in-5
GNX-1119-42IN-5



GNX-1119-42in-6
GNX-1119-42IN-6



GNX-1119-42IN-7
GNX-1119-42IN-7

GNX-1123



GNX-1123-18
GNX-1123-18



GNX-1123-24
GNX-1123-24




GNX-1123-36
GNX-1123-36

GNX-1124-8-9




GNX-1124-8-9in
GNX-1124-8-9IN

GNX-1125



GNX-1125-24
GNX-1125-24



GNX-1125-12
GNX-1125-12




GNX-1125-18
GNX-1125-18

	GNX-1126			
	GNX-1126-36	GNX-1126-24	GNX-1126-18	GNX-1126-12
	GNX-1126 - 36" ARMS	GNX-1126 - 24" ARMS	GNX-1126 - 18" ARMS	GNX-1126 - 12" ARMS

HMTG

HMTG
HMTG

GNX-1093	
	
GNX-1093-5-7-E	GNX-1093-5-7-S
GNX-1093-5-7-E	GNX-1093-5-7-S

	GNX-1127				
	GNX-1127-60in-2	GNX-1127-60in-3	GNX-1127-60in-4	GNX-1127-48in-2	GNX-1127-48in-3
	GNX-1127-60IN-2	THREE FIXTURE CEILING MOUNT - 60IN WIDTH	GNX-1127-60IN-4	GNX-1127-48IN-2	GNX-1127-48IN-3
	GNX-1127-48in-4	GNX-1127-36in-3	GNX-1127-36in-4	GNX-1127-60in-2-C	GNX-1127-60in-3-C
	GNX-1127-48IN-4	GNX-1127-36IN-3	GNX-1127-36IN-4	GNX-1127-60IN-2-C	GNX-1127-60IN-3-C
	GNX-1127-60in-4-C	GNX-1127-48in-2-C	GNX-1127-48in-3-C	GNX-1127-48in-4-C	GNX-1127-36in-2-C
	GNX-1127-60IN-4-C	GNX-1127-48IN-2-C	GNX-1127-48IN-3-C	GNX-1127-48IN-4-C	GNX-1127-36IN-2-C
	GNX-1127-36in-3-C	GNX-1127-36in-4-C			
	GNX-1127-36IN-3-C	GNX-1127-36IN-4-C			

GNX-1104



GNX-1104-R7-12-3
GNX-1104-R7-12-3



GNX-1104-R7-20-3
GNX-1104-R7-20-3

GNX-1128



GNX-1128-96in
WALL MOUNTED SHEPHERD HOOK
- 96" HEIGHT



GNX-1129

GNX-1129-24
CORD & STEM - 24

GNX-1129-30
CORD & STEM - 30

GNX-1129-48
CORD & STEM - 48

GNX-1129-60
CORD & STEM - 60

GNX-1120



GNX-1120
GNX-1120 - SCISSOR MOUNTING

GNX-1130



GNX-1130-08
GNX-1130-08



GNX-1130-10
GNX-1130-10



GNX-1130-12
GNX-1130-12



GNX-1130-14
GNX-1130-14



GNX-1130-16
GNX-1130-16


CHN



CHN-8FT
CHN-8FT



CHN-16FT
CHN-16FT



GNX-1131

GNX-1131-1-18in
GNX-1131-1-18IN

GNX-1131-1-36in
GNX-1131-1-36IN

GNX-1131-2-24in
GNX-1131-2-24IN

GNX-1131-2-36in
GNX-1131-2-36IN

GNX-1131-3-36in
GNX-1131-3-36IN

GNX-1131-3-54in
GNX-1131-3-54IN

GNX-1131-4-48in
GNX-1131-4-48IN

GNX-1131-4-72in
GNX-1131-4-72IN



GNX-1132

GNX-1132
GNX-1132

GNX-1133



GNX-1133-6
GNX-1133-6



GNX-1134

GNX-1134-B-3
SMALL 3 PORT CANOPY
WITH HOOKS

GNX-1098



GNX-1098-18
CUSTOM GOOSENECK STYLE
GNX-1098-18 WITH CHAIN



GNX-1098-24
CUSTOM GOOSENECK STYLE
GNX-1098-24 WITH CHAIN



GNX-1098-36
CUSTOM GOOSENECK STYLE
GNX-1098-36 WITH CHAIN

GNX-1139



GNX-1139-12-6-UP
GNX-1139: SPIRAL MOUNT UP

GNX-1102



GNX-1102
GNX-1102



GNX-1102B
GNX-1102B



GNX-1140

GNX-1140-48-4
48" BOUND GOOSENECK
MOUNT

GNX-1140-48-5
48" BOUND GOOSENECK
MOUNT

HUB HEX HOOK



HHH
HUB HEX HOOK

CONDUIT MOUNTING

96INLEADS
96IN LEADS

GNXXJ-4R



GN8J-4R
GN8J-4R



GN10J-4R
GN10J-4R



GN12J-4R
GN12J-4R



GN16J-4R
GN16J-4R



GN18J-4R
GN18J-4R




GN20J-4R
GN20J-4R




GN24J-4R
GN24J-4R

CHANDELIER MOUNTINGS



GNX-1145
STANDARD CHANDELIER MOUNT-
ING



Saloon-4x-18
SALOON CHANDELIER

COVERT CANOPY CORD MOUNTING



630C-10FT
COVERT CANOPY + 10FT OF CORD



630C-20FT
COVERT CANOPY + 20FT OF CORD



630C-1AC-10FT
COVERT CANOPY + 10FT OF CORD
AND AIRCRAFT CABLE



630C-1AC-20FT
COVERT CANOPY + 20FT OF CORD
AND AIRCRAFT CABLE




630C-3AC-10FT
COVERT CANOPY + 10FT OF CORD
AND 3 AIRCRAFT CABLE


ELBOW MOUNTINGS




GNX-1039-6-1
GNX-1039-6-1




GNX-1039-6-6
GNX-1039-6-6




GNX-1039-6-9
GNX-1039-6-9




GNX-1039-6-12
GNX-1039-6-12




GNX-1039-6-18
GNX-1039-6-18




GNX-1039-9-6
GNX-1039-9-6




GNX-1039-9-9
GNX-1039-9-9




GNX-1039-9-12
GNX-1039-9-12




GNX-1039-9-18
GNX-1039-9-18




GNX-1039-12-1
GNX-1039-12-1




GNX-1039-12-6
GNX-1039-12-6




GNX-1039-12-9
GNX-1039-12-9




GNX-1039-18-6
GNX-1039-18-6



GNX-1039-18-9
GNX-1039-18-9



GNX-1039-18-12
GNX-1039-18-12



GNX-1039-18-18
GNX-1039-18-18

LARGE FORMAT CANOPY CORD MOUNTING



644C-18IN-3P
18" MULTIPOINT 3P

WB-GNXXJ-4R-SC1



WB-GN10J-4R-SC1
WB-SC1 WITH GN10J-4R



WB-GN12J-4R-SC1
WB-SC1 WITH GN12J-4R



WB-GN16J-4R-SC1
WB-SC1 WITH GN16J-4R



WB-GN18J-4R-SC1
WB-SC1 WITH GN18J-4R



WB-GN20J-4R-SC1
WB-SC1 WITH GN20J-4R



WB-GN24J-4R-SC1
WB-SC1 WITH GN24J-4R



WB-GN30J-4R-SC1
WB-SC1 WITH GN30J-4R

THE PULLEY MOUNT



Pulley-48
48" PULLEY MOUNT